






## ASY-CR Series Serrated Single Reflector

[sales@asysol.com](mailto:sales@asysol.com)





- A **Compact Antenna Test Range (CATR)** is a type of range used for testing antenna systems at frequencies where obtaining far-field spacing to the AUT would be impractical using traditional free space methods. A CATR, based on a single reflector, uses a source antenna which radiates a spherical wave front and one reflector to collimate the radiated spherical wave front into a planar wave front within the desired test zone. A CATR is used for microwave and millimetre wave frequencies where the  $2D^2/\lambda$  far-field distance is large, such as with high-gain reflector antennas.
- ASYSOL's family of reflectors are fabricated utilising the most advanced and accurate metal machining facilities achieving typical surface accuracies of up to 15  $\mu\text{m}$  required for today's high frequency demands. Edge diffraction is kept to a minimum by employing carefully designed serrations optimised for low frequency operation with the result of less interference in the desired beam pattern.
- Applications:
  - Antenna Measurements
  - Radome Measurements
  - RCS Measurements



MODEL	Frequency (GHz)	Feed Location (1)	Shape (2)	Quiet Zone Size (m)	Amplitude Taper (dB)	Typ Amplitude Ripple (dB)	Phase Taper (deg)	Typ Phase Ripple (deg)	Max Cross Pol (dB)
ASY-CR-03-03	8.0 – 200	FF-LF-CF	C	0.3 x 0.3	<1	±0.35	2	±5	30
ASY-CR-06-06	4.0 – 200	FF-LF-CF	C	0.6 x 0.6	<1	±0.35	2	±5	30
ASY-CR-10-10	2.4 – 200	FF-LF-CF	C	1.0 x 1.0	<1	±0.35	2	±5	30
ASY-CR-12-12	2.0 – 200	FF-LF-CF	C	1.2 x 1.2	<1	±0.35	2	±5	30
ASY-CR-12-18	1.5 – 200	LF-CF	E	1.2 x 1.8	<1	±0.35	4	±5	30
ASY-CR-20-20	1.2 – 200	FF-LF-CF	C	2.0 x 2.0	<1	±0.35	4	±5	30
ASY-CR-25-25	1.0 – 200	FF-LF-CF	C	2.5 x 2.5	<1	±0.35	4	±5	30
ASY-CR-30-30	0.8 – 200	FF-LF-CF	C	3.0 x 3.0	<1	±0.35	4	±5	30
ASY-CR-40-40	0.6 – 200	FF-LF-CF	C	4.0 x 4.0	<1	±0.35	6	±5	30
ASY-CR-50-50	0.5 – 200	FF-LF-CF	C	5.0 x 5.0	<1	±0.35	6	±5	30
ASY-CR-40-60	0.6 - 200	LF-CF	E	4.0 x 6.0	<1	±0.35	6	±5	30
ASY-CR-60-60	0.4 – 200	FF-LF-CF	C	6.0 x 6.0	<1	±0.35	6	±5	30

(1) FF=Front Fed, CF=Corner Fed, LF=Lateral Fed

(2) C=Cylindrical E=Elliptical



Ver032017

Antenna Systems Solutions S.L.  
 Albert Einstein 12  
 39011 Santander · Cantabria  
 Spain

+34 942 05 04 85  
[www.asysol.com](http://www.asysol.com)

**ANTENNA**  
 Systems Solutions

A CELESTIA TECHNOLOGIES GROUP COMPANY 